

RACCORDS SYMÉTRIQUES GUILLEMIN

Raccord Guillemin à douille annelée  
Guillemin coupling with serrated hose end

| Polypro    | Bronze     | Inox       | Aluminium  | DN Raccord | DN Douille |   |
|------------|------------|------------|------------|------------|------------|---|
|            | GH050BR    | GH050SS    |            | DN015      | 20mm       |   |
|            | GH075BR    | GH075SS    | GH075AL    | DN020      | 25mm       |   |
|            |            |            | GH100AL25  | DN025      | 25mm       |   |
|            | GH100BR    | GH100SS    | GH100AL    | DN025      | 30mm       |   |
|            |            |            | GH125AL32  | DN032      | 32mm       |   |
|            | GH125BR    | GH125SS    | GH125AL    | DN032      | 35mm       |   |
|            | GH150BR25  |            |            | DN040      | 25mm       |   |
| GH150PP30  | GH150BR30  |            |            | DN040      | 30mm       |   |
|            | GH150BR33  |            |            | DN040      | 33mm       |   |
| GH150PP35  | GH150BR35  |            | GH150AL35  | DN040      | 35mm       |   |
| GH150PP    | GH150BR    | GH150SS    | GH150AL    | DN040      | 40mm       | * |
| GH150PP45  | GH150BR45  | GH150SS45  | GH150AL45  | DN040      | 45mm       |   |
| GH200PP    | GH200BR    | GH200SS    | GH200AL    | DN050      | 50mm       | * |
| GH200PP55  | GH200BR55  | GH200SS55  | GH200AL55  | DN050      | 55mm       |   |
|            | GH250BR    | GH250SS    | GH250AL    | DN065      | 64mm       | * |
|            | GH250BR70  | GH250SS70  | GH250AL70  | DN065      | 70mm       |   |
| GH300PP    | GH300BR    | GH300SS    | GH300AL    | DN080      | 76mm       | * |
|            | GH300BR80  | GH300SS80  | GH300AL80  | DN080      | 81mm       | * |
| GH300PP90  | GH300BR90  | GH300SS90  | GH300AL90  | DN080      | 90mm       |   |
|            |            | GH400SS    | GH400AL100 | DN100      | 100mm      | * |
|            | GH400BR102 |            | GH400AL102 | DN100      | 102mm      | * |
|            | GH400BR105 | GH400SS105 | GH400AL105 | DN100      | 105mm      | * |
| GH400PP110 | GH400BR110 | GH400SS110 | GH400AL110 | DN100      | 110mm      |   |
|            |            |            | GH500AL    | DN125      | 125mm      | * |
|            |            | GH600SS    | GH600AL    | DN150      | 152mm      | * |

\*AVEC COLLERETTE / WITH COLLAR



Raccord Guillemin à douille annelée sans oreille  
Guillemin coupling with serrated hose end without ears

| Réf MCC     | Matériau  | DN Raccord | DN Douille |   |
|-------------|-----------|------------|------------|---|
| GH200ALSO   | Aluminium | DN050      | 50mm       | * |
| GH300ALSO   | Aluminium | DN080      | 76mm       | * |
| GH300ALSO90 | Aluminium | DN080      | 90mm       |   |
| GH400ALSO   | Aluminium | DN100      | 102mm      | * |



Raccord Guillemin à douille à gorges  
Guillemin coupling with grooved shank

| Réf MCC       | Matériau  | DN Raccord | DN Douille |  |
|---------------|-----------|------------|------------|--|
| GH150ALDAG    | Aluminium | DN040      | 45mm       |  |
| GH200AL55DAG  | Aluminium | DN050      | 55mm       |  |
| GH250AL70DAG  | Aluminium | DN065      | 70mm       |  |
| GH300AL90DAG  | Aluminium | DN080      | 90mm       |  |
| GH400AL110DAG | Aluminium | DN100      | 110mm      |  |
| GH150BRDAG    | Bronze    | DN040      | 45mm       |  |



Raccord Guillemin mâle BSP à verrou  
Guillemin coupling with latch male BSP thread

| Polypro  | Bronze   | Inox     | Aluminium  | Dimension | Filetage |
|----------|----------|----------|------------|-----------|----------|
|          | GML050BR | GML050SS |            | DN015     | G1/2"    |
|          | GML075BR | GML075SS | GML075AL   | DN020     | G3/4"    |
|          | GML100BR | GML100SS | GML100AL   | DN025     | G1"      |
|          | GML125BR | GML125SS | GML125AL   | DN032     | G1"1/4   |
| GML150PP | GML150BR | GML150SS | GML150AL   | DN040     | G1"1/2   |
|          |          |          | GML200AL40 | DN050     | G1"1/2   |
| GML200PP | GML200BR | GML200SS | GML200AL   | DN050     | G2"      |
|          | GML250BR | GML250SS | GML250AL   | DN065     | G2"      |
|          |          |          | GML250AL   | DN065     | G2"1/2   |
|          |          |          | GML300AL65 | DN080     | G2"1/2   |
| GML300PP | GML300BR | GML300SS | GML300AL   | DN080     | G3"      |
|          |          |          | GML400AL80 | DN100     | G3"      |
| GML400PP | GML400BR | GML400SS | GML400AL   | DN100     | G4"      |
|          |          |          | GML500AL   | DN125     | G5"      |
|          |          | GML600SS | GML600AL   | DN150     | G6"      |



Raccord Guillemin femelle BSP à verrou  
Guillemin coupling with latch female BSP thread

| Polypro  | Bronze   | Inox     | Aluminium  | Dimension | Filetage |
|----------|----------|----------|------------|-----------|----------|
|          | GFL050BR | GFL050SS |            | DN015     | G1/2"    |
|          | GFL075BR | GFL075SS | GFL075AL   | DN020     | G3/4"    |
|          | GFL100BR | GFL100SS | GFL100AL   | DN025     | G1"      |
|          | GFL125BR | GFL125SS | GFL125AL   | DN032     | G1"1/4   |
| GFL150PP | GFL150BR | GFL150SS | GFL150AL   | DN040     | G1"1/2   |
|          |          |          | GFL200AL40 | DN050     | G1"1/2   |
| GFL200PP | GFL200BR | GFL200SS | GFL200AL   | DN050     | G2"      |
|          | GFL250BR | GFL250SS | GFL250AL   | DN065     | G2"      |
|          |          |          | GFL250AL   | DN065     | G2"1/2   |
|          |          |          | GFL300AL65 | DN080     | G2"1/2   |
| GFL300PP | GFL300BR | GFL300SS | GFL300AL   | DN080     | G3"      |
|          |          |          | GFL400AL80 | DN100     | G3"      |
| GFL400PP | GFL400BR | GFL400SS | GFL400AL   | DN100     | G4"      |
|          |          |          | GFL500AL   | DN125     | G5"      |
|          |          |          | GFL600AL4G | DN150     | G4"      |
|          |          | GFL600SS | GFL600AL   | DN150     | G6"      |



**PMO Consulting Sàrl**  
Rampe de la Gare 1 – CH 1290 Versoix – Genève  
Tel. +41 (0) 22 779 09 83 – info@pmo-consult.com

RACCORDS SYMÉTRIQUES GUILLEMIN

Raccord Guillemin boîte mâle BSP sans verrou  
Guillemin coupling without latch male BSP thread

| Bronze  | Inox    | Aluminium | DN Raccord | Filetage |
|---------|---------|-----------|------------|----------|
|         | GM050SS |           | DN015      | G1/2"    |
| GM075BR | GM075SS | GM075AL   | DN020      | G3/4"    |
| GM100BR | GM100SS | GM100AL   | DN025      | G1"      |
| GM125BR | GM125SS | GM125AL   | DN032      | G1"1/4   |
| GM150BR | GM150SS | GM150AL   | DN040      | G1"1/2   |
| GM200BR | GM200SS | GM200AL   | DN050      | G2"      |
| GM250BR | GM250SS | GM250AL   | DN065      | G2"1/2   |
| GM300BR | GM300SS | GM300AL   | DN080      | G3"      |
| GM400BR | GM400SS | GM400AL   | DN100      | G4"      |



Raccord Guillemin boîte femelle BSP sans verrou  
Guillemin coupling without latch female BSP thread

| Bronze  | Inox    | Aluminium | DN Raccord | Filetage |
|---------|---------|-----------|------------|----------|
|         | GF050SS |           | DN015      | G1/2"    |
| GF075BR | GF075SS | GF075AL   | DN020      | G3/4"    |
| GF100BR | GF100SS | GF100AL   | DN025      | G1"      |
| GF125BR | GF125SS | GF125AL   | DN032      | G1"1/4   |
| GF150BR | GF150SS | GF150AL   | DN040      | G1"1/2   |
| GF200BR | GF200SS | GF200AL   | DN050      | G2"      |
| GF250BR | GF250SS | GF250AL   | DN065      | G2"1/2   |
| GF300BR | GF300SS | GF300AL   | DN080      | G3"      |
| GF400BR | GF400SS | GF400AL   | DN100      | G4"      |



Jonction Double / Réduction Guillemin  
Guillemin reducers

| Polypro    | Bronze     | Inox       | Aluminium  | DN Raccord 1 | DN Raccord 2 |
|------------|------------|------------|------------|--------------|--------------|
|            |            |            | GR100075AL | DN025        | DN020        |
|            |            |            | GR125075AL | DN032        | DN020        |
|            |            |            | GR125100AL | DN032        | DN025        |
|            | GR150075BR | GR150075SS | GR150075AL | DN040        | DN020        |
|            | GR150100BR | GR150100SS | GR150100AL | DN040        | DN025        |
|            | GR150125BR | GR150125SS | GR150125AL | DN040        | DN032        |
|            |            |            | GR200100AL | DN050        | DN025        |
|            |            |            | GR200125AL | DN050        | DN032        |
| GR200150PP | GR200150BR | GR200150SS | GR200150AL | DN050        | DN040        |
|            | GR250150BR | GR250150SS | GR250150AL | DN065        | DN040        |
|            | GR250200BR | GR250200SS | GR250200AL | DN065        | DN050        |
|            | GR300150BR | GR300150SS | GR300150AL | DN080        | DN040        |
| GR300200PP | GR300200BR | GR300200SS | GR300200AL | DN080        | DN050        |
|            | GR300250BR | GR300250SS | GR300250AL | DN080        | DN065        |
|            | GR400150BR | GR400150SS | GR400150AL | DN100        | DN040        |
|            | GR400200BR | GR400200SS | GR400200AL | DN100        | DN050        |
|            | GR400250BR | GR400250SS | GR400250AL | DN100        | DN065        |
| GR400300PP | GR400300BR | GR400300SS | GR400300AL | DN100        | DN080        |
|            |            |            | GR500400AL | DN125        | DN100        |
|            |            |            | GR600400AL | DN150        | DN100        |



RACCORDS SYMÉTRIQUES GUILLEMIN

Raccord Guillemin avec verrou à souder BW  
Guillemin coupling with latch for welding BW

| Réf MCC    | Matière | DN Raccord | Dim Partie à souder BW |
|------------|---------|------------|------------------------|
| GFL075SSBW | Inox    | DN020      | 26.7mm                 |
| GFL100SSBW | Inox    | DN025      | 33.4mm                 |
| GFL125SSBW | Inox    | DN032      | 42.2mm                 |
| GFL150SSBW | Inox    | DN040      | 48.3mm                 |
| GFL200SSBW | Inox    | DN050      | 60.3mm                 |
| GFL250SSBW | Inox    | DN065      | 73mm                   |
| GFL300SSBW | Inox    | DN080      | 88.9mm                 |
| GFL400SSBW | Inox    | DN100      | 114.3mm                |
| GFL600SSBW | Inox    | DN150      | 152mm                  |



Raccord Guillemin sans verrou à souder BW  
Guillemin coupling without latch female thread BSP

| Réf MCC   | Matière | DN Raccord | Dim Partie à souder BW |
|-----------|---------|------------|------------------------|
| GF075SSBW | Inox    | DN020      | 26.7mm                 |
| GF100SSBW | Inox    | DN025      | 33.4mm                 |
| GF125SSBW | Inox    | DN032      | 42.2mm                 |
| GF150SSBW | Inox    | DN040      | 48.3mm                 |
| GF200SSBW | Inox    | DN050      | 60.3mm                 |
| GF250SSBW | Inox    | DN065      | 73mm                   |
| GF300SSBW | Inox    | DN080      | 88.9mm                 |
| GF400SSBW | Inox    | DN100      | 114.3mm                |



Raccord Guillemin avec verrou sans oreilles  
Guillemin coupling with latch thread BSP and no Ears

| Réf MCC    | Matière   | DN Raccord | Filetage       |
|------------|-----------|------------|----------------|
| GFL200ALSO | Aluminium | DN050      | Femelle G2     |
| GFL250ALSO | Aluminium | DN065      | Femelle G2"1/2 |
| GFL300ALSO | Aluminium | DN080      | Femelle G3"    |
| GFL400ALSO | Aluminium | DN100      | Femelle G4"    |
| GML200ALSO | Aluminium | DN050      | Male G2"       |
| GML300ALSO | Aluminium | DN080      | Male G3"       |
| GFL300SSSO | Inox      | DN080      | Femelle G3"    |
| GFL300BRSO | Bronze    | DN080      | Femelle G3"    |

Autres tailles disponibles sur demande.



PMO Consulting Sàrl  
Rampe de la Gare 1 – CH 1290 Versoix – Genève  
Tel. +41 (0) 22 779 09 83 – info@pmo-consult.com

RACCORDS SYMÉTRIQUES GUILLEMIN

Raccord Guillemin bouchon à verrou avec chaînette  
Guillemin plug whith locking ring with chain

| Bronze   | Inox     | Aluminium | DN Raccord |
|----------|----------|-----------|------------|
|          | GBC050SS |           | DN015      |
| GBC075BR | GBC075SS | GBC075AL  | DN020      |
| GBC100BR | GBC100SS | GBC100AL  | DN025      |
| GBC125BR | GBC125SS | GBC125AL  | DN032      |
| GBC150BR | GBC150SS | GBC150AL  | DN040      |
| GBC200BR | GBC200SS | GBC200AL  | DN050      |
| GBC250BR | GBC250SS | GBC250AL  | DN065      |
| GBC300BR | GBC300SS | GBC300AL  | DN080      |
| GBC400BR | GBC400SS | GBC400AL  | DN100      |
|          |          | GBC500AL  | DN125      |
|          |          | GBC600AL  | DN150      |



Raccord Guillemin bouchon sans verrou avec chaînette  
Guillemin plug whithout locking ring with chain

| Polypro  | Bronze   | Inox     | Aluminium | DN Raccord |
|----------|----------|----------|-----------|------------|
| GLC150PP | GLC150BR | GLC150SS | GLC150AL  | DN040      |
| GLC200PP | GLC200BR | GLC200SS | GLC200AL  | DN050      |
| GLC300PP | GLC250BR | GLC250SS | GLC250AL  | DN065      |
| GLC400PP | GLC300BR | GLC300SS | GLC300AL  | DN080      |
| GC300NY  |          | GLC400SS | GLC400AL  | DN100      |



Raccord Guillemin bouchon à poignée avec chaînette  
Guillemin handled plug whithout locking ring, with chain

| Nylon   | Inox    | Aluminium | Remarque                  | DN Raccord |
|---------|---------|-----------|---------------------------|------------|
| GC300NY | GC300SS | GC150AL   | JOINT CARRE<br>JOINT PLAT | DN040      |
|         |         | GC200AL   |                           | DN050      |
|         |         | GC250AL   |                           | DN065      |
|         |         | GC300AL   |                           | DN080      |
|         |         | GC300ALJP |                           | DN080      |
|         |         | GC400AL   |                           | DN100      |



RACCORDS SYMÉTRIQUES GUILLEMIN

Clé de serrage pour Guillemin  
Guillemin key of tightening

| REF MCC | Matière | Epoxy | Designation                       | Plage  |
|---------|---------|-------|-----------------------------------|--------|
| SGA     | Acier   | -     | Clé Simple 1 Ergot                | 20-65  |
| SGAB    | Acier   | Bleu  | Clé Simple1 Ergot                 | 20-65  |
| SGAR    | Acier   | Rouge | Clé Simple1 Ergot                 | 20-65  |
| SGB     | Acier   | -     | Clé Simple1 Ergot                 | 50-100 |
| SGBB    | Acier   | Bleu  | Clé Simple1 Ergot                 | 50-100 |
| SGC     | Acier   | -     | Clé Universelle 2 Ergot           | 20-115 |
| SGCB    | Acier   | Bleu  | Clé Universelle 2 Ergot           | 20-115 |
| SGCR    | Acier   | Rouge | Clé Universelle 2 Ergot           | 20-155 |
| SGF     | Acier   | -     | Clé Double                        | 20-150 |
| SGG     | Acier   | -     | Articulé Double                   | 50-100 |
| SGH     | Acier   | -     | 1 Ergot renforce                  | 50-100 |
| SGO     | Acier   | Rouge | Clé à Carré                       |        |
| SGM     | ALU     | -     | Clé Federale pour poteau          |        |
| SGN     | ALU     | -     | Clé Tous service                  |        |
| SGD     | Bronze  | -     | Pétroliere anti étincelle         | 50-100 |
| SGI     | Bronze  | -     | Clé Simple Anti étincelle         | 20-65  |
| SGJ     | Bronze  | -     | Clé Universelle 2 Ergot Renforcée | 20-115 |
| SGP     | Bronze  | -     | Clé tricoise "Poky"               |        |
| SGQ     | Bronze  | -     | Clé Polypons II                   |        |
| SGU     | Bronze  | -     | Clé Tricoise "Deschamp"           |        |
| SGE     | Inox    | -     | Articulé Double                   | 50-100 |



Raccord Guillemin femelle BSP sécurisé  
Guillemin coupling female thread BSP with locking device

| Réf MCC    | Matière | Dimension | Filetage |         |
|------------|---------|-----------|----------|---------|
| GFL200SSLK | Inox    | DN050     | G2"      | NOUVEAU |
| GFL300SSLK | Inox    | DN080     | G3"      |         |



**PMO Consulting Sàrl**  
Rampe de la Gare 1 – CH 1290 Versoix – Genève  
Tel. +41(0) 22 779 09 83 – info@pmo-consult.com

RACCORDS SYMÉTRIQUES GUILLEMIN

Transformation Symétrique Guillemín/ Raccord Express  
Guillemín reducers Express French

| Réf MCC    | Matère    | DN Raccord | Express |
|------------|-----------|------------|---------|
| TGE150AL   | Aluminium | DN040      | Laiton  |
| TGE200AL   | Aluminium | DN050      | Laiton  |
| TGE250AL   | Aluminium | DN065      | Laiton  |
| TGE300AL   | Aluminium | DN080      | Laiton  |
| TDSPE150AL | Aluminium | DSP DN40   | Laiton  |
| TDSPE250AL | Aluminium | DSP DN65   | Laiton  |
| TGE150SS   | Inox      | DN040      | Inox    |
| TGE200SS   | Inox      | DN050      | Inox    |
| TGE250SS   | Inox      | DN065      | Inox    |
| TGE300SS   | Inox      | DN080      | Inox    |



Transformation Symétrique Guillemín/ Raccord Tankwagen  
Guillemín reducers Tankwagen

| Réf MCC  | Matère | DN Raccord | TW      |
|----------|--------|------------|---------|
| TTBMK050 | Laiton | DN50       | MK DN50 |
| TTBMK080 | Laiton | DN80       | MK DN80 |
| TTBVK050 | Laiton | DN50       | VK DN50 |
| TTBVK080 | Laiton | DN80       | VK DN80 |
| TTSVK050 | Inox   | DN50       | VK DN50 |
| TTSVK080 | Inox   | DN80       | VK DN80 |
| TTSMK050 | Inox   | DN50       | MK DN50 |
| TTSMK080 | Inox   | DN80       | MK DN80 |



Transformation Symétrique Guillemín/ Raccord SMS  
Guillemín reducers SMS

| Réf MCC | Matère | DN Raccord | DN SMS |
|---------|--------|------------|--------|
| TSS5050 | Inox   | DN050      | 51     |
| TSS8075 | Inox   | DN80       | 76     |



Transformation Symétrique Guillemín/ Raccord DIN  
Guillemín reducers DIN

| Réf MCC | Matère | DN Raccord | DN DIN |
|---------|--------|------------|--------|
| TSD5050 | Inox   | DN050      | 50     |
| TSD5080 | Inox   | DN80       | 80     |



Transformation Symétrique Guillemín/ Raccord Storz  
Guillemín reducers Storz

| Réf MCC    | Matère    | DN Raccord | Storz          |
|------------|-----------|------------|----------------|
| TGS200AL   | Aluminium | DN050      | C-52           |
| TGS300AL   | Aluminium | DN80       | B-75           |
| TGS300ALS  | Aluminium | DN80       | B-75 sécurisé  |
| TGS300ALTO | Aluminium | DN80       | B-75 tournant  |
| TGS400AL   | Aluminium | DN100      | A-110          |
| TGS400ALS  | Aluminium | DN100      | A-110 sécurisé |
| TGS400ALTO | Aluminium | DN100      | A-110 tournant |



Autres tailles disponibles sur demande

RACCORDS SYMÉTRIQUES GUILLEMIN

Verrou anodisé couleur au choix : bleue, rouge, jaune ou noire  
Guillemín ring anodized : blue, red, yellow or black

| Réf MCC  | Matère    | Dimension | Couleur  |
|----------|-----------|-----------|----------|
| VER150AL | Aluminium | DN040     | Au choix |
| VER200AL | Aluminium | DN050     | Au choix |
| VER250AL | Aluminium | DN065     | Au choix |
| VER300AL | Aluminium | DN080     | Au choix |
| VER400AL | Aluminium | DN100     | Au choix |



Pour une meilleur tracabilité de vos flexibles

Joint pour raccord Guillemín  
Guillemín gaskets

| PTFE / BLANC | VITON / NOIR | EPDM / BLANC | NBR / NOIR | Ext / Int / Ep | DN Raccord |
|--------------|--------------|--------------|------------|----------------|------------|
|              |              | CGE015       | CGN015     | 22/17/3,5      | DN015      |
| CGP020       | CGV020       | CGE020       | CGN020     | 28/23/3,5      | DN020      |
| CGP025       | CGV025       | CGE025       | CGN025     | 34,3/27,3/4    | DN025      |
| CGP032       | CGV032       | CGE032       | CGN032     | 38/32/4,5      | DN032      |
| CGP040       | CGV040       | CGE040       | CGN040     | 51/43/5        | DN040      |
| CGP050       | CGV050       | CGE050       | CGN050     | 64/54/5        | DN050      |
| CGP065       | CGV065       | CGE065       | CGN065     | 79/69/6        | DN065      |
| CGP080       | CGV080       | CGE080       | CGN080     | 96/85/6        | DN080      |
| CGP100       | CGV100       | CGE100       | CGN100     | 117,5/103,5/7  | DN100      |
|              |              | CGE150       | CGN150     | 178/156/8,5    | DN150      |

